

FOR USE ONLY AS AN AGRICULTURAL HORTICULTURAL / ADJUVANT
Crops: See Directions for Use
Pesticides: See Directions for Use
Maximum concentration: See Directions for Use
Maximum number of treatments: Follow the statutory conditions of the pesticide
Lastest time of application: Follow the statutory conditions of the pesticide

Operator protection : Follow the operator protection instruction for the pesticide. Where the personal protective equipment specified on the adjuvant label is different from that specified on the pesticide label, the highest level of protective equipment must be worn.

READ ALL PRECAUTIONS BEFORE USE

Barclay Chemicals Manufacturing Ltd.,
Damastown Way, Damastown Industrial Park,
Mulhuddart, Dublin 15, Ireland
Tel: 01 8112900 Fax: 01 8224678
Copyright © Barclay Chemicals (R&D) Limited, 2005

READ CAREFULLY THE RECOMMENDATIONS FOR USE PROVIDED WITH THIS CONTAINER

PROTECT FROM FROST

Barclay
CROP PROTECTION

Actol

Contains 99% w/w highly refined **PARAFFINIC OIL**.

A self-emulsifying oil adjuvant for improving the performance of many pesticide products when applied together in tank-mix.

FOR USE ONLY AS AN AGRICULTURAL/HORTICULTURAL ADJUVANT

PRECAUTIONS

WASH HANDS before meals and after work.

DO NOT BREATHE SPRAY.

DO NOT CONTAMINATE PONDS, WATERWAYS OR DITCHES with chemical or used container.

KEEP ONLY IN THE ORIGINAL CONTAINER.



N-DANGEROUS FOR THE ENVIRONMENT

WASH OUT CONTAINER THOROUGHLY, empty washings into spray tank and dispose of safely.
CONTAINS A HIGHLY REFINED PARAFFINIC OIL.
May produce an allergic reaction.

TO AVOID RISKS TO MAN AND THE ENVIRONMENT, comply with the instructions for use.

Safety data sheet available for professional user on request.

PCS No 92246

PRECAUTIONS

WASH HANDS before meals and after work.
DO NOT BREATHE SPRAY.
DO NOT CONTAMINATE PONDS, WATERWAYS OR DITCHES with chemical or used container.
KEEP ONLY IN THE ORIGINAL CONTAINER.
WASH OUT CONTAINER THOROUGHLY, empty washings into spray tank and dispose of safely.
CONTAINS A HIGHLY REFINED PARAFFINIC OIL. May produce an allergic reaction.
TO AVOID RISKS TO MAN AND THE ENVIRONMENT, comply with the instructions for use.
SAFETY DATA SHEET AVAILABLE FOR PROFESSIONAL USER ON REQUEST.

Barclay Chemicals Limited, Damastown Way, Damastown Industrial Park, Mulhuddart,
Dublin 15 Ireland. **Tel: 01 8112900 Fax: 01 8224678**

PCS No. 92246

Contains 99% w/w highly refined PARAFFINIC OIL.

A self-emulsifying oil adjuvant for improving the performance of many pesticide products when applied together in tank-mix.

FOR USE ONLY AS AN AGRICULTURAL / HORTICULTURAL ADJUVANT

Conditions of Supply All goods supplied by us are of high grade and we believe them to be suitable but as we cannot exercise control over their storage handling mixing or use or of the weather conditions before during and after application which may affect the performance of the goods all conditions and warranties statutory or otherwise as to the quality or fitness for any purpose of our goods are excluded and no responsibility will be accepted by us or resellers for any failure in performance damage or injury whatsoever arising from their storage handling application or use; these conditions cannot be varied by our staff or agents whether or not they supervise or assist in the use of such goods.

DIRECTIONS FOR USE

Mixing

Invert the container several times and shake before pouring. Half fill the spray tank with water and start the re-circulation system. Pour the required quantity of Barclay Actol into the spray tank. Add the required quantity of pesticide product. Top up the spray tank with water to the required level. Continue agitation before and during use.

Important

DO NOT leave mixed Barclay Actol and pesticide in the spray tank without agitation or separation might occur leading to inferior results. Barclay Actol must always be added to the spray tank first. If hard water or pesticides with a low pH are to be used, then extra care is needed in mixing and application. If the pH of the spray solution falls below pH 4, then inversion might occur leading to blocked jets and filters. In the event of inversion: stop spraying. Empty the spray tank and wash out with detergent solution. Extra care must be taken when applying acidic herbicides.

Compatibility

Barclay Actol is compatible in two-way tank-mix (or three-way where specifically stated) with the following approved herbicides when used as recommended (see also RECOMMENDATIONS). Each product must be applied strictly in accordance with its Directions for Use together with the Directions for Use of this label.

Herbicides	Crop/Situation
Dichlorprop salts	Cereals
Glyphosate	Cereals, Stubbles, Grassland
Isoproturon	Cereals
MCPA salts	Cereals
Mecoprop salts	Cereals
Metamitron	Beets
Metoxuron	Cereals
Phenmedipham	Beets
Atrazine	Maize, sweetcorn

RECOMMENDATIONS

MAIZE AND SWEETCORN

Herbicide	Dose Rate	Water Volume	Rate Barclay Actol	Remarks (see also main product label)
Barclay Atrazine FL	Normal Rate	Minimum 200 l/ha	5 l/ha	Apply at growth stages and times as given on the product label.

SUGAR BEET: LOW DOSE TANK-MIXES

Herbicide	Dose Rate	Water Volume	Rate Barclay Actol	Remarks (see also main product label)
Barclay Crossbar 114	3.5 l/ha	80-100 l/ha	1 l/ha	Apply after the crop has reached the fully expanded cotyledon stage whilst weeds are still at cotyledon to first true leaf stage.
Metamitron 70% w/w	1.7 kg/ha 2.5 kg/ha	80-100 l/ha	1.7 l/ha 2.5 l/ha	Dose may be varied according to conditions. Refer to main product label.
Metamitron 70% w/w plus Barclay Crossbar 114	1.25 kg/ha plus 1.7 l/ha	80-100 l/ha	1.25 l/ha	Apply from the fully expanded cotyledon stage with the first pair of true leaves visible. Make up to 2 applications at 10 day intervals.

SUGAR BEET: CONVENTIONAL DOSE TANK-MIXES

Herbicide	Dose Rate	Water Volume	Rate Barclay Actol	Remarks (see also main product label)
Barclay Crossbar 114	10 l/ha for normal air temperatures. 8.5 l/ha for higher air temperatures.	240 l/ha	5 l/ha 2.5 l/ha	Apply at growth stages and times as given on the product label.
Metamitron 70% w/w	5 kg/ha	Minimum 200 l/ha	5 l/ha	Crop must have at least 2 true leaves at least 10 mm long. Crop tolerance may be reduced under adverse conditions.

CEREALS

Herbicide	Dose Rate	Water Volume	Rate Barclay Actol	Remarks (see also main product label)
Barclay 2,4-DP Barclay Gallup Isoproturon MCPA Salts Mecoprop salts Metoxuron	Normal Rate	Normally a minimum 200 l/ha . Certain products may be applied at 100 l/ha . Consult the product label.	For water volumes of 200 l/ha or more use 2.5 l/ha . For water volumes of 100 l/ha use 1.25 l/ha .	DO NOT use Barclay Actol with herbicides in frosty weather or if frost is forecast. Under frosty conditions crop check may result although recovery is normally complete.

OILSEED RAPE

Herbicide	Dose Rate	Water Volume	Rate Barclay Actol	Remarks (see also main product label)
Fluazifop-P-butyl	Normal Rate	Minimum 200 l/ha	2.5 l/ha	Apply at growth stages and times as given on the product label.

Important: Do not apply products containing propyzamide to oilseed rape within 10 days of applying products with Barclay Actol